



ORBICHEM PETROCHEMICALS (PTY) LTD.  
P.O. BOX 5288 TYGERVALLEY 7536  
CAPE TOWN SOUTH AFRICA

REGISTRATION NO. 2001/023454/07  
TEL: 27 21 914 0311  
FAX: 27 21 914 0329

# SIPPAR 62 DP

## Iso-Paraffinic Solvent

Characteristics	Units	Method	Min	Max	Typical
Appearance		Visual	C & B		C & B
Aniline Point	°C	ASTM D611			83
Saybolt Colour		ASTM D156	+25 min		+30
Density at 15 °C	g/ml	ASTM D1298	0.757	0.768	0.767
Flash Point - PMCC	°C	ASTM D93	62		63
Pour Point	°C	ASTM D97			Below -54
Sulphur Content	ppm				<1
Viscosity at 40 °C	cSt	ASTM D445			1.32
Viscosity at 20 °C	cSt				1.9
Distillation – IBP	°C	ASTM D86	180		182
Distillation – 50%	°C	ASTM D86			198
Distillation – Dry Point	°C	ASTM D86		215	212
Odour					Mild
Refractive Index at 20 °C		ASTM D1218			1.426
Aromatics by UV	%wt				0.05
Benzene Content	ppm	GC			<1